ELC MOLVALOAR			100
Entered in NID File	<u> </u>	Checked by Chief	KZZ
Entered O S R Sheet		Copy NID to Field Office	
Location Map Pinned		Approval Letter	
Card Indexed		Disapproval Letter	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
IWR for State or Fee Land	*		
COMPLETION DATA:	`		
Date Well Completed #	5-20-62	Location Inspected	
OW WW	TA	Bond released	
ew os	PA_1	State of Fee Land	******************
	LOGS FI	LED	
Driller's Log			
Electric Logs (No.).		* 5 *	
E	E1_2 (du	GR-N	Micro
Lat Mi-	-L Sonic.	Others	-
	•		

Copy XLC (SUBMIT IN DUPLICATE)



LAND:

 	,	3 _

forms to applicable rules, regulations and orders.

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

SALT LAKE CITY, UTAH

Fee and Patented
State
Lease No
Public Domain
Lease No
Indian
Lease No

otice of Intention to Drill	X	Subsequent Report	of Water S	hut-off	
otice of Intention to Change Plans		Subsequent Report			
otice of Intention to Redrill or Repair		Subsequent Report			
otice of Intention to Pull or Alter Casing		Supplementary We			
otice of Intention to Abandon Well		Supplementary we			
(INDICATE ABOVE BY CHI	ICK MARK NATUR	E OF REPORT, NOTICE, OR OT	HER DATA)		
cce		May 1	.0	, 1	₉ 62
Well No. Eppie C #3 is located 990 ft	. from N	line and 990 f	t. from 🗜	line of Sec. 8	
SW 6 NE NE 20S		24E		SIM	
(1/4 Sec. and Sec. No.) AGATE (Field) (Field) (Field)		(Range)	,	(Meridian)	**-***
AGATE duelonners	GRAND			UTAH	
(Field)	(County or	Subdivision)		(State or Territory)	
State names of and expected depths to objective s	DETAILS (OF WORK	hs of proposed	casings; indicate	mudo
State names of and expected depths to objective sobs, cementing points, and all other important wo	DETAILS (ands; show s rk, surface f	OF WORK izes, weights, and length ormation, and date anti-	hs of proposed	casings; indicate	mudd
State names of and expected depths to objective s	DETAILS (ands; show s rk, surface f	OF WORK izes, weights, and length ormation, and date anti-	hs of proposed	casings; indicate	mudd
State names of and expected depths to objective s obs, cementing points, and all other important wo Brushy Basin - at apprex.	DETAILS (ands; show s rk, surface for	OF WORK izes, weights, and lengtlormation, and date anti	hs of proposed	casings; indicate	mudd
State names of and expected depths to objective s obs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 f	DETAILS (ands; show s rk, surface for	OF WORK izes, weights, and lengtlormation, and date anti	hs of proposed	casings; indicate	mudd
State names of and expected depths to objective s obs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet.	DETAILS (ands; show s rk, surface for	OF WORK izes, weights, and lengtlormation, and date anti	hs of proposed	casings; indicate	mudd
State names of and expected depths to objective s obs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 f	DETAILS (ands; show s rk, surface for	OF WORK izes, weights, and lengtlormation, and date anti	hs of proposed	casings; indicate	mudd
State names of and expected depths to objective s obs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 f	DETAILS (ands; show s rk, surface for	OF WORK izes, weights, and lengtlormation, and date anti	hs of proposed	casings; indicate	mudd
State names of and expected depths to objective s obs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 f	DETAILS (ands; show s rk, surface for	OF WORK izes, weights, and lengtlormation, and date anti	hs of proposed	casings; indicate	mudd
State names of and expected depths to objective s obs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 f	DETAILS (ands; show s rk, surface for	OF WORK izes, weights, and lengtlormation, and date anti	hs of proposed	casings; indicate	mudc
State names of and expected depths to objective sobs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 f May 18 spudding.	DETAILS (ands; show s rk, surface for 1555 feet	OF WORK izes, weights, and length formation, and date anti hru zene).	hs of proposed cipate spuddin	l casings; indicate i	
State names of and expected depths to objective sobs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 f May 18 spudding.	DETAILS (ands; show sink, surface for 1555 feet) eet. (topproval in water)	OF WORK izes, weights, and length formation, and date anti hru zene).	hs of proposed cipate spuddin	l casings; indicate i	
(State names of and expected depths to objective sobs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 f. May 18 spudding. I understand that this plan of work must receive a RAPHAEL PUMPELLY, dba	DETAILS (ands; show sink, surface for 1555 feet) eet. (topproval in water)	OF WORK izes, weights, and length formation, and date anti hru zene).	hs of proposed cipate spuddin	l casings; indicate i	
State names of and expected depths to objective sobs, cementing points, and all other important wo Brushy Basin - at apprex. 7 5/8 Surface - 100 feet. 4 1/2 Prod. casing to 1590 feet. May 18 spudding.	DETAILS (ands; show s rk, surface for 1555 feet left). (t	OF WORK izes, weights, and length formation, and date anti hru zene).	hs of proposed cipate spuddin	l casings; indicate i	

SALT LAKE BASE & MERIDIAN Br. Cap 1/4 cor TZOS, RZIE Brass Cap EPPIE C No. 3 Elev. 4587.5 NE14. Br Cap 1/4 SEC TZOS RZ4E S.L.B.EM. SCALE ELEY. REFERRED TO U.S.C. & G.S. /IN. = 1000 FT.

I, GERARD H. PESMAN, CERTIFY THAT THIS PLAT IS PLOTTED FROM FIELD MOTES OF A SURVEY MADE BY ME ON NAW 8. 1962.

Trus Pea Lawn Superven 1621

WELL SURVEY
FOR
RAPHAEL PUMPELLY
BY
GERARD H. PESMAN
711 No. 7TH - GRAND JCT. - COLO.
5/9/62



RAPHAEL PUMPELLY 550 PASEO MIRAMAR PACIFIC PALISADES CALIFORNIA

Mr. Cleen B. Feight
State of Utah
Oil & Gas Conservation Commission
310 Newhouse Bldg.
10 Exchange Place
Salt Lake City 11, Utah

May 10, 1962

Dear Mr. Feight:

I am enclosing the data required for the permit to drill my Eppie C #3 well in the Agate Field in Grand County.

- 1. Duplicate copies of Form OGCC-1
- 2. Plat of location.
- 3. Rider to Travelers Indemnity Bend #835198.

Please send approval for me to commence drilling care/of La Court Hotel, Grand Junction, Colorado.

With sincere regards,

Encl:

May 15, 1962

Mr. Raphael Pumpelly La Court Hotel Grand Junction, Colorado

Dear Mr. Pumpelly:

This is to acknowledge receipt of your notice of intention to drill Well No. Eppie C Fee #3, which is to be located 990 feet from the north line and 990 feet from the east line, SLBM, Grand County, Utah.

Please be advised that approval to drill said well is hereby granted provided that the 4½" production string be cemented with a sufficient amount of cement to raise the cement behind the pipe to at least 50 feet above the top of any water productive intervals.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Please take note that should it become necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named persons, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

C. B. FEIGHT, Executive Director Office: DA 8-5771 or DA 8-5772

Home: HU 5-2721

ROBERT L. SCHMIDT, Chief Petroleum Engineer

Office: DA 8-5771 or DA 8-5772

Home: AM 6-8616

Address all other forms of cummunication to the Utah State Oil and Gas Conservation Commission, 310 Newhouse Building, 10 Exchange Place, Salt Lake City, Utah.

Please have the enclosed "Minimum Safety Requirements" notice posted in a conspicuous place on the drilling location.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF: cn

cc: Harvey L. Coonts, Petroleum Engineer OGCC, Moab, Utah

Encl.

May 23, 1962

MEMO FOR FILING:

RE: R. Pumpelly Eppie Fee #3, Sec. 8, T. 20 S., R. 24 E., Grand County, Utah

On May 21, 1962, I approved the plugging program on the above abandoned location:

TD - 1660' Brushy Basin

1598 - possible production zone

1370 - water 102' - surface pipe

Place 20 sacks from 1625', place 15 sacks from 1390', place 20 sacks from 125', 5 sacks at surface and marker.

> HARVEY L. COONTS, PETROLEUM EINGINEER

HLC: kb

September 10, 1962

Mr. Raphael Pumpelly La Court Hotel Grand Junction, Colorado

Re: Well No. Eppie C Fee #3
Sec. 8, T. 20 S, R. 24 E.,
Grand County, Utah

Dear Mr. Pumpelly:

As of yet we have not received the Well Log for the above mentioned well. We would appreciate it very much if you would send us this log in order that we may complete our file.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS RECORDS CLERK

CFP:cnp

November 9, 1962 Raphael Pumpelly 550 Paseo Miramar Pacific Palisades, California Attention: Raphael Pumpelly Re: Well No. Eppie C. Fee #3, Sec. 8, T. 20 S, R. 24 E., Grand County Dear Mr. Pumpelly, Please refer to our letters of September 10, 1962 and October 11, 1962, wherein we requested the 'Well Log" for the above mentioned we11. As of this date we still have not received said log. Please complete the enclosed Forms OGCC-3 "Log of Oil or Gas Well", in duplicate and forward them to this office at your earliest possible convenience. Thank you. Very truly yours, OIL & GAS CONSERVATION COMMISSION

cfp

Encl. (Forms)

CONNIE F. PALOUKOS RECORDS CLERK



Form OGCC-3

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah

until March 15, 1963
(Not to exceed 4 months after filing date)

Address 550 Paseo Mirmar, Pacific Palidades, Calif.

To be kept Confidential until _

LOCATE WELL CORRECTLY

Operating Company R. Pumpelly

LOG OF OIL OR GAS WELL

Well No. 3 Sec. 8 T.20S R. 24E Meridian Salt Lake County Grand Location 990 ft. S. of N Line and 990 ft. W. of E Line of Sec. 8 The information given herewith is a complete and correct record of the well and all work done the so far as can be determined from all available records. Signed R. Pumpelly by Date 12-20-62
The information given herewith is a complete and correct record of the well and all work done the so far as can be determined from all available records. Signed R. Pumpelly by Date 12-20-62 Title
o far as can be determined from all available records. Signed R. Pumpelly by Date 12-20-62 Title
Date 12-20-62 Title
17
The summary on this page is for the condition of the well at above date.
Commenced drilling 5-16-62 , 19 Finished drilling 5-20-62 , 19
OIL OR GAS SANDS OR ZONES (Denote gas by G)
To. 1, from None to No. 4, from to to
No. 5, from to to
No. 6, from to to to
IMPORTANT WATER SANDS
No. 1, from to to to to to to to to
No. 4, from to to to
CASING RECORD
Size Weight Threads per Make Amount Kind of shoe Cut and pulled from Purpo
easing per foot inch From To-
7" 20
MUDDING AND CEMENTING RECORD Size Where get Number sacks of cement Method used Mud gravity Amount of mud used
MUDDING AND CEMENTING RECORD
MUDDING AND CEMENTING RECORD Size asing Where set Number sacks of cement Method used Mud gravity Amount of mud used

U.o.z-i-z-z-	lua Matarial	No			ADAPTEI		th set	
	7,							
Adapters-					RECORD			
Size	Shell used	Exp	losive used	Quanti		Depth shot	Depth cleaned o	ut
		[
Rotomy to	ole were used fi	nm		TOOLS		and from	feet to	fee:
-							feet to	
Cable 1001	5 West asca 1101			DAT		,,		
					_	-		
The p	oroduction for	the first	24 hours was	DRY	barrels o	of fluid of which	% was oil;	%
emulsion;	% water;	and	.% sediment.			Gravity, °Bé.		
If gas	well, cu. ft. pe	er 24 hou	irs		Gallons gas	oline per 1,000 d	eu. ft. of gas	
Rock	pressure, lbs. 1	oer sq. in	1			•		
None Co	atract Drill	er	Duillor	EMPLO	_			Drillos
								•
					N RECORI			-, Dimei
FBOM-	то	-	TOTAL FEI			FORMA'	rion	
							s Log add Geologic T ric Logs or samples.	ops.
						lof not avai	•	
			. *					
	·							
	2							
		i						

January 22, 1963

W. & T. Oil Inc. 2485 U.S. 6 & 50 Grand Junction, Colorado

Dear Mr. Whyte:

On January 21, 1963, Mr. Raphael Pumpelly sent in the electric logs and drillers logs for Wells No. Eppie C. Fee #3, #4 and #5 all of which are in Section 8, Township 20 South, Range 24 East, Grand County, Utah. However, we have been requested to hold them confidential until March 15, 1963.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF: cp

March 22, 1963 Raphael Pumpelly 550 Paseo Mirmar Pacific Palisades, California Re: Well No. Eppie C. Fee #3 Well No. Eppie C. Fee #4 Well No. Eppie C. Fee #5 Sec. 8, T. 20 S, R. 24 E., Grand County, Utah Dear Mr. Pumpelly: The above wells were released from our confidential file on March 15, 1963. Upon checking the well data we note that the Geologic tops were omitted from your "Log of Oil or Gas Well", also the total depth of these wells. We are now in the process of compiling our Yearly Well Completion Report, therefore, your prompt reply to this request will be greatly appreicated. Very truly yours, OIL & GAS CONSERVATION COMMISSION CONNIE F. PALOUKOS RECORDS CLERK CFP:cnp

May 14, 1963

Raphael Pumpelly 550 Paseo Mirmar Pacific Palicades, California

Re: Well No. Eppie C. Fee #3
Well No. Eppie C. Fee #4
Well No. Eppie C. Fee #5
Sec. 8, T. 20 S, R. 24 E.,
Grand County, Utah

Bear Mr. Pumpelly:

Reference is made to our letter of March 22, 1963. As of this date we still have not received the Geologic tops and total depths of the above mentioned walls as requested.

Your attention to the above request will be greatly appreciated.

Very traly yours,

OIL & GAS CONSERVATION CONSISSION

GLARMILA N. PROK RECORDS CLERK

THE TRAVELERS

THE TRAVELERS INSURANCE COMPANY . THE TRAVELERS INDEMNITY COMPANY

June 26, 1963

LOS ANGELES OFFICE 3600 Wilshire Boulevard LOS ANGELES 5, CALIFORNIA Telephone: DUnkirk 1-2525

The State of Utah Utah Oil and Gas Commission 310 Newhouse Building 10 Exchange Place, Salt Lake City, Utah

RE: RAPHAEL PUMPELLY
550 Paseo Mirama, Pacific
Palisades, California
Drilling & Plugging Bond
Bond No. 835198
Amount: \$5,000.00
Dated: Feb. 10, 1960

Dear Sir:

We, the undersigned, are Surety on the above captioned bond written in your favor.

Please advise if our liability under the above bond is to continue, or if it is in order to terminate this bond.

A self-addressed envelope is enclosed for your convenience in replying.

Thank you for your courtesy in this matter.

Very truly yours,

THE TRAVELERS INDEMNITY COMPANY

M. Stevens Attorney-in-Fac

MS:rp

July 2, 1963 The Travelers Insurance Campany 3500 Wilskirs Boulevard Los Angeles 5, California Attention: N. Stevens, Attorney-in-Fact Re: Exphasi Purpelly 550 Pageo Mirane, Pacific Palisades, California Bond No. 635198 Gentlemen: There are three producing walls on the acresse covered by the above mentioned bond, therefore, under our rules and resulations liability under such bond must continue until the time these wells are plugged and absorboned. Incidentally, we have never received a "rider" covering the Ropic C. Fee #2 Well, located 990 feat from the north line and 330 feet from the east line of Section 8. Township 20 South, Hange 24 East, Grand County, Utah. Could you please forward same as soon as possible. Very truly byours. OIL & GAS COMBERVATION COMMISSION CLEEN B. PRIGHT EXECUTIVE DESIGNA CW: cop

110

RAPHAEL PUMPELLY 550 PASEO MIRAMAR PACIFIC PALISADES CALIFORNIA



Mr. Cleon B. Feight
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11. Utah

July 7, 1963

Dear Mr. Feight:

I received your letter to me of July 2 when I returned to California on the 4th. I apologise for not anwering the requests re: the geologic tops on my numbers 3, 4, & 5 wells. After receiving your request of May 14 I had Max Krey, geologist of Grand Junction, pick these for me from the logs - and promptly forgot to mail them in to you; which, Iknow, is no excuse. Max ran the samples for me while drilling both the 3 and 4 wells. The following are the tops he gave me:

	Eppie C #3	#4	#5
Dakota	1310	1244	1232
Morrison	1415	1336	1310
Total Depth	1615	1566	1570

I will check with Prudential tomorrow on the bond for well #2. (Bond #835198).... and will report to you on this by the end of the week.

With sincere regards,

RP:smp